SABERAY White

RGB Addressable ENERMAX

ASUS AURA SYNC

ASRock POLYCHROME SYNC

GIGABYTE RGB FUSION READY

msi MYSTIC LIGHT SYNC

ENERMAX logo on case

◤ **Limited White Edition in Elegant and Gorgeous Style**

◤ **Support Addressable RGB Lighting Synchronization**

◤ **3x SquA RGB Fans Pre-installed**

◤ **Acrylic and Meshed Front Panels Included**

SABERAY White is a special edition from ENERMAX's flagship gaming case series, SABERAY. The clean, premium lineup features addressable LED strips and 3x Enermax unique square RGB fans that can create stunning rainbow lighting effects.
In addition to the vivid RGB lighting, SABERAY White has ample space for top-end components and custom cooling configurations, designed with room for 9x fan mounting locations or 4x designated places for liquid cooler. With advanced features and aesthetic designs, SABERAY White is undoubtedly the perfect RGB gaming castle for enthusiasts to build their own masterpieces.

Features

◤ **Limited white edition**
SABERAY White is a limited edition design for lovers of white cases. In addition to the color, the White Edition offers some additional features.

◤ **Addressable RGB lighting**
SABERAY White is equipped with addressable LED strips and SquA RGB fans that can create colorful rainbow lighting effects.

Integrated RGB controller

SABERAY White features its own RGB controller that offers 6 lighting modes: Rainbow, Auto RGB, Fixed Colors, Sway, Flow, and Snake. Users can easily select modes from the I/O panel.

Rainbow

Auto RGB

Fixed Color

Sway

Flow

Snake

Addressable RGB lighting synchronization

SABERAY White supports synchronizable RGB lighting via the addressable RGB headers of motherboards (RGB headers with 4-Pin assignment: +5V/D/-/G). Users can program preferred lighting effects via the motherboard RGB software

Integrated control hub

For those who do not use the RGB-sync motherboards, the integrated control hub allows users to keep 5x RGB devices' lighting in sync; furthermore, the hub can also control the speed of the 6x fans together.

Unique quick-release design

The tool-less panels facilitate the system installation and maintenance.

Designed with both aesthetics and ventilation in mind; two premium tool-less front panels are included
Two premium tool-less front panels included.
● Glossy, full-view acrylic panel displays vivid lighting effects
● Meshed panel provides better ventilation.

Acrylic panel (Default)   Meshed panel

4mm panoramic tempered glass window
The 4mm panoramic tempered glass window allows you to show off your rigs.

Anti-dust rubber plugs

Solid structure with ample space
Constructed of 0.8 mm sturdy steel, SABERAY White offers spacious interior design for large, high-end components.

◤ Extensive cooling potential

Flexible cooling system configuration supports 4x designated locations for liquid cooler installation.

Liquid Cooler Compatibility Chart					
Radiator size (mm)	360	280	240	140	120
Front			●		●
Top	●	●	●	●	●
Rear				●	●
Side			●		●

◤ Advanced ventilation system to support a maximum of up to 9x fans

Rear (exhaust)
1x 140/120mm fan
(1x 140mm fan included)

Top (exhaust)
3x 120mm/2x 140mm fan
or
360/280/240mm liquid cooler
supported

Side (exhaust)
2x 120mm fan
or
240mm liquid cooler
supported

Front (intake)
3x 120mm fan
or
240mm liquid cooler supported
(3x 120mm SquA RGB fans included)

◤ Flexible system configuration

Supports up to 1x 5.25'' ODD, 2x 3.5" HDD, and 6x 2.5 SSD/HDD (2x Converted from 3.5" tray) to satisfy your storage needs.

5.25" ODD

2.5" HDD/SSD

2.5" HDD/SSD

2.5" HDD/SSD

2.5" HDD/SSD

2x 3.5"/2.5" HDD/SSD trays

◣ **Support long VGA cards and tall CPU cooler**

CPU Heatsink
Max. Height: 175mm

Graphic Card
Max. Length: 420mm

◣ **PSU-Tunnel design (aka PSU shroud)**
The design minimizes the cable clutter, which makes the system clean and neat, and helps improve the air circulation.

PSU-Tunnel Design

Dimensions

unit: mm

478

223

566

238

Specifications

Model Number		**ECA3500WA-RGB**
Dimensions		**D478 x W223 x H566mm**
Material		**0.8mm SPCC**
M/B Type		**ATX, Micro ATX, Mini ITX**
I/O		**2x USB3.0, 2x USB2.0, HD Audio, Fan speed control, LED brightness control, LED mode control, Lumi switch**
Drive Bays	**5.25"**	**1**
	3.5"	**2**
	2.5"	**6 (2x Converted from 3.5" trays)**
Expansion Slots		**7**
Fan Slots	**Front**	**3x 120mm (3 x 120mm SquA RGB fans pre-installed)**
	Top	**2x 140 or 3x 120mm**
	Rear	**1x 140 or 1x 120mm (1 x 140mm fan pre-installed)**
	Side	**2x 120mm**
Liquid Cooling	**Front**	**240mm radiator (62mm clearance)**
	Top	**360 / 280 / 240mm radiator (63mm clearance)**
	Rear	**140 / 120mm radiator**
	Side	**240mm radiator**
PSU		**Standard ATX Type**
Clearance		**Suggested VGA Card Length: 420mm (280mm with side radiator)**
		Suggested CPU Cooler Height: 175mm
Shipping Information		
Barcode	**EAN**	**4713157723673**
	UPC	**819315023679**
Carton Dimensions		**D642 x W325 x H670mm**
Gross Weight		**14.8kgs**
Net Weight		**10kgs**

*Options vary by countries or regions.

ENERMAX
POWER. INNOVATION. DESIGN.