

ECA3330A-B(U3) ECA3330B-B(U3)

SKYLENE



SKYLENE







Adjustable 2.5" HDD bracket



Dual front 12cm fans support



Cutout for CPU cooler montage



One extra 2.5" HDD space at the bottom



Top I/O for easy access

Features

- O Spacious interior supports micro ATX, ATX size of motherboard
- Supreme cooling performance with up to 6 fans support (*Depending on the models)
 - 2 x 12cm front fans
 - 1 x 12cm top fan
 - 1 x 12cm rear fan
 - 2 x 12cm side fans

Easy Access Front Interfaces

- With up to 2 x USB 3.0 or up to 2 x USB 2.0 and HD audio I/O (*Depending on the models)

Utmost Expandability

- Removable 2.5" HDD bracket allows long VGA card installation (up to 390 mm / 15.35 inch)
- Supports up to 2 x 5.25" ODDs, 3 x 3.5" HDDs and 4 x 2.5" SSDs

User Friendly Installation

- Cut-out on M/B tray for easy CPU cooler montage
- Removable dust filter at bottom for easy cleaning
- 16mm clearance behind M/B tray for easy cable routing
- Direct access bays: ideal and user-friendly structure





Options

SIDE PANEL



Acrylic extruded side panel



Extruded side panel with 2 x 12cm fan slots

TOP PANEL



Extruded top panel with 12cm fan slot



Plain top panel

ODD / HDD SCREWLESS KITS



5.25" ODD kits x 3pcs / 3.5" HDD kits x 3pcs

Specifications

		ECA3330(U2) Series	ECA3330(U3) Series	ECA3330(2U3) Series
Dimensions		D453 x W203 x H427mm		
I/O		2 x USB 2.0, HD Audio	1 x USB 3.0+ 1 x USB 2.0, HD Audio	2 x USB 3.0, HD Audio
M/B		ATX / Micro ATX		
Power Supply		ATX 12V (Optional)		
Drive Bays	5.25"	2		
	3.5"	3		
	2.5"	4		
Fan Slots	Front	2 x 12cm (Optional)		
	Rear	1 x 12cm (Included)		
	Left	2 x 12cm or Acrylic Window (Optional)		
Expansion Slots		6		
Inner Coating		Black		
CPU Cooler Height		165mm		
VGA Card Length		390mm (2.5" HDD bracket removed)		

* Extruded top panel is available for ECA3331 series.

