



StarryFort SF30





StarryFort SF30

- 4 Pre-installed T.B. RGB Fans
- Supports Addressable RGB Lighting Synchronization
- Detachable PSU Side Cover
- Removable HDD Cage
- 4mm Panoramic Tempered Glass Window




Features

- **Dazzling Light Effect**
 - Includes 4 pre-installed T.B. RGB fans featuring halo arc-shaped frame.
 - Supports ARGB lighting synchronization.
- **Advanced Compatibility**
 - Supports 360 AIO liquid cooler or up to 6 fans installation.
 - Up to 5 drives installation(2.5" SSD x 5 / 3.5" HDD x 2, 2.5" SSD x 3)
- **Easy Installation & Dust Removal**
 - PSU-tunnel design with detachable PSU side cover not only provides easy installation, but also makes the system clean and neat.
 - Removable HDD cage creates flexible space for cable routing.
 - Removable dust filter on the top.
- **Outstanding Appearance**
 - 4mm full-view tempered glass side panel to show off your rigs.



Includes 4 Pre-installed T.B. RGB Fans




PSU-Tunnel Design with Detachable PSU Side Cover



4mm Full-View Tempered Glass Side Panel



Anti-dust Rubber Plugs



Removable HDD Cage Creates Flexible Space for PSU Cable Routing



Liquid Cooler Compatibility



Fan Compatibility




Supports 2 x 3.5" and 5 x 2.5"
(2 Converted from 3.5" HDD Cage Drive Bay)



Supports Graphics Card Up to 375mm Length

Dimensions

unit : mm



Specifications

Model Name		ECA-SF30 Series
Dimensions (Case)		415mm x 212mm x 480 mm
Material		0.6mm SPCC
M/B Type		ATX, Micro ATX, Mini ITX
I/O		USB 3.0 x2, HD Audio
Drive Bays	3.5"	2
	2.5"	5 (2x converted from 3.5" Tray)
Expansion Slots		7
Fan Slots	Front	2 x 140 mm or 3 x 120 mm
	Top	2 x 140 mm or 2 x 120 mm
	Rear	1 x 120 mm
Liquid Cooling	Front	360mm / 280mm / 240mm radiator
	Top	280mm / 240mm radiator
	Rear	120mm radiator
PSU Support		Standard ATX Type
Clearance	GPU	375 mm
	CPU Cooler	157 mm
Shipping Information		
Barcode	EAN	4713157728265
	UPC	819315028261
Carton Dimensions		D520 x W250 x H485 mm
Gross Weight		6.66 kg
Net Weight		7.43 kg

*Product specifications are subject to change without notice.

*Options vary by countries or regions.

*For detailed information please visit our website at www.enermax.com

