

ECA3351A-B(U3)

ECA3351B-B(U3)







ECA3351



ECA3351B-B(U3) illustrated



Adjustable 2.5" HDD bracket



Cutout for CPU cooler montage



One extra 2.5" HDD space at the bottom



Dual front 12cm fans support



Top I/O for easy access

Features


- Inheriting Ostrog design but with massive mesh
 - Suitable for office workstations; large front mesh for extreme cooling performance
- O Spacious interior supports micro ATX, ATX size of motherboard
- Supreme cooling performance with 6 fans support (*Depending on the models)
 - 2 x 12 cm front fans
 - 1 x 12 cm top fan
 - 1 x 12 cm rear fan
 - 2 x 12 cm side fans
- Easy Access Front Interfaces
 - With up to 2 x USB 3.0 or up to 2 x USB 2.0 and HD audio I/O (*Depending on the models)

O Utmost Expandability

- Removable 2.5" HDD bracket allows long VGA card installation (up to 390 mm / 15.35 inch)
- Supports up to 3 x 5.25" ODDs, 3 x 3.5" HDDs and 4 x 2.5" SSDs

O User Friendly Installation

- Cut-out on M/B tray for easy CPU cooler montage
- Removable dust filter at bottom for easy cleaning
- 16mm clearance behind M/B tray for easy cable routing
- Direct access bays: ideal and user-friendly structure



Options





Acrylic extruded side panel



with 2 x 12cm fan slots



TOP PANEL

Plain top panel

ODD / HDD SCREWLESS KITS



5.25" ODD kits x 3pcs / 3.5" HDD kits x 3pcs

Specifications

		ECA3351(U2) Series	ECA3351(U3) Series	ECA3351(2U3) Series
Dimensions		D453 x W203 x H457mm		
I/O		2 x USB 2.0, HD Audio	1 x USB 3.0 + 1 x USB 2.0, HD Audio	2 x USB 3.0, HD Audio
M/B		ATX / Micro ATX		
Power Supply		ATX 12V (Optional)		
Drive Bays	5.25"	3 (Screw-less kits are optional)		
	3.5"	3 (Screw-less kits are optional)		
	2.5"	4		
Fan Slots	Front	2 x 12cm (Optional)		
	Rear	1 x 12cm (Included)		
	Тор	1 x 12cm (Optional)		
	Left	2 x 12cm or Acrylic Window (Optional)		
Expansion Slots		6		
Inner Coating		Black		
CPU Cooler Height		165mm		
VGA Card Length		390mm (2.5" HDD bracket removed)		



www.enermax.com

© 2013 ENERMAX Technology Corporation. All rights reserved. Specifications are subject to change without prior notice. Actual product and accessories may differ from illustrations.Omissions and printing errors excepted. Content of delivery might differ in different countries or areas. Some trademarks may be claimed as the property of others. Oct. 2013